



No. Interfil: **OF-2**

Marca: **Ford**

HT: 106.00 mm · OD: 75.90 mm · Thread: M22x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-5**

Marca: **Chevrolet**

HT: 104.50 mm · OD: 75.9 mm · Thread: 13/16"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-8**

Marca: **Ford**

HT: 136.00 mm · OD: 93.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-11**

Marca: **VAM**

HT: 136.50 mm · OD: 93.00 mm · Thread: 13/16"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-13**

Marca: **Chevrolet / Ford**

HT: 136.50 mm · OD: 93.00 mm · Thread: 13/16"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-16**

Marca: **Chrysler / Ford / Jeep**

HT: 108.00 mm · OD: 75.88 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-25**

Marca: **Chevrolet**

HT: 104.50 mm · OD: 93.00 mm · Thread: 13/16"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-30**

Marca: **Chevrolet**

HT: 104.50 mm · OD: 93.00 mm · Thread: 13/16"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-43**

Marca: **Ford**

HT: 105.00 mm · OD: 93.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-927**

Marca: **Renault / Chrysler**

HT: 68.50 mm · OD: 93.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-966**

Marca: **Nissan**

HT: 97.80 mm · OD: 80.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-1109**

Marca: **Peugeot**

HT: 141.00 mm · OD: 60.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-1142**

Marca: **BMW**

HT: 80 mm · OD: 71.6 mm · ID: 28.50 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-1170**

Marca: **Peugeot / Renault**

HT: 89.30 mm · OD: 76.20 mm · Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-1171**

Marca: **Peugeot**

HT: 69.00 mm · OD: 65.20 mm · ID: 24.3
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-1125**

Marca: **Peugeot**

HT: 99.85 mm · OD: 71.60 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-1216**

Marca: **Universal Motocarros**

HT: 40.22 mm · OD: 43.87 mm · ID: 13.30 mm



No. Interfil: **OF-1520**

Marca: **Nissan**

HT: 94.50 mm · OD: 93.30 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-1601**

Marca: **Smart**

HT: 55.00 mm · OD: 52.5 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-200**

Marca: **Nissan**

HT: 73.50 mm · OD: 73.13 mm · ID: 23.5
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-2092**

Marca: **Nissan**

HT: 100.00 mm · OD: 76.92 mm · ID: 23.6
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-2500**

Marca: **Dodge / Hyundai**

HT: 76.60 mm · OD: 68.00 mm · Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-2518**

Marca: **Chevrolet**

HT: 71.60 mm · OD: 68.00 mm · Thread: M18x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-2661**

Marca: **Mercedes Benz**

HT: 89.85 mm · OD: 57.2 mm · Thread: M8x1.5
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-2815**

Marca: **Volkswagen**

HT: 187.00 mm · OD: 93.25 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-2825**

Marca: **Nissan / Bmw / Ford**

HT: 124.00 mm · OD: 76.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-2870**

Marca: **Volkswagen**

HT: 124.00 mm · OD: 76.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-2870D**

Marca: **Volkswagen**

HT: 122.00 mm · OD: 76.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On 2 Válvulas / 2 Valve



No. Interfil: **OF-2933**

Marca: **Chevrolet**

HT: 62.00 mm · OD: 76.00 mm · Thread: M 18x1.5
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-2951**

Marca: **Chevrolet / Suzuki**


HT: 86.00 mm · OD: 76.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-2Q67**

Marca: **Ford**

HT: 81.50 mm · OD: 75.88 mm · Thread: M22x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-3387**

Marca: **Chevrolet**

HT: 85.50 mm · OD: 75.90 mm · Thread: M 18x1.5
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3506**

Marca: **Chevrolet**

HT: 88.00 mm · OD: 76.00 mm · Thread: 13/16"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3535**

Marca: **Chevrolet / General Motors**

HT: 102.10 mm · OD: 74.20 mm · Thread: M 18x1.5
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3593 / OF-7317**

Marca: **Fiat / Honda / Mazda / Nissan**

HT: 87.45 mm · OD: 64.90 mm · Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-3593H**

Marca: **Honda**

HT: 77.50 mm · OD: 75.00 mm · Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-3600**

Marca: **Ford**

HT: 76.85 mm · OD: 74.20 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-3614**

Marca: **Chrysler / Ford / Suzuki**

HT: 105.90 mm · OD: 76.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-3675**

Marca: **Chevrolet / Cadillac / Chrysler / Saturn**

HT: 86.87 mm · OD: 76.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3682**

Marca: **Nissan / Mitsubishi / Ford**

HT: 108.10 mm · OD: 76.00 mm · Thread: 3/4"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3690**

Marca: **Isuzu**

HT: 121.25 mm · OD: 120.69 mm · Thread: M 18x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-3950**

Marca: **Mazda / Mitsubishi**

HT: 96.80 mm · OD: 90.00 mm · Thread: M20x1.5
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3976**

Marca: **Dodge**

HT: 178.17 mm · OD: 93.20 mm · Thread: 1"-16-UN
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3980**

Marca: **Chevrolet / Isuzu**

HT: 107.50 mm · OD: 75.90 mm · Thread: M 18x1.5
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-3C11**

Marca: **Seat**

HT: 72.3 mm · OD: 65.20 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-3L62**

Marca: **Volkswagen**

HT: 102.50 mm · OD: 65.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-4177**

Marca: **Nissan/renault**

HT: 53.88 mm · OD: 76.10 mm · Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-4240**

Marca: **Hyundai**

HT: 119.51 mm · OD: 92.45 mm · Thread: M26x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-4386**

Marca: **Nissan / Toyota / Suzuki**

HT: 85.70 mm • OD: 65.00 mm • Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-4558**

Marca: **Fiat**

HT: 107.20 mm • OD: 75.85 mm • Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-4858**

Marca: **Renault**

HT: 63.63 mm • OD: 75.16 mm • Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-4967**

Marca: **Toyota**

HT: 71.70 mm • OD: 67.80 mm • Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-5403**

Marca: **Audi / Volkswagen**

HT: 141.35 mm • OD: 76.50 mm • Thread: M27x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-5548D**

Marca: **Volkswagen**

HT: 95.00 mm • OD: 75.88 mm • Thread: 3/4"-16
Tipo / Type: Sellado / Spin On 2 Válvulas / 2 Valve



No. Interfil: **OF-5562**

Marca: **Volkswagen**

HT: 125.00 mm • OD: 63.70 mm
Tipo / Type: Cartucho / Cartrige



No. Interfil: **OF-5618**

Marca: **Ford / Jaguar / Lincoln**

HT: 122.70 mm • OD: 76.4 mm • Thread: 1"-12
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-5625**

Marca: **Volkswagen**

HT: 118.8 mm • OD: 81.00 mm
Tipo / Type: Cartucho / Cartrige



No. Interfil: **OF-6103**

Marca: **Seat**

HT: 97.00 mm • OD: 75.50 mm • Thread: 3/4"-16
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-6607**

Marca: **Nissan**

HT: 67.70 mm • OD: 65.00 mm • Thread: M20x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-6714**

Marca: **Ford**

HT: 106.90 mm • OD: 93.00 mm • Thread: M22x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-6744**

Marca: **Ford**

HT: 67.40 mm · OD: 62.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-6848**

Marca: **Mercedes Benz**

HT: 159.87 mm · OD: 60.90 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-6C67**

Marca: **Ford**

HT: 69.30 mm · OD: 65.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-7300**

Marca: **Fiat**

HT: 83.20 mm · OD: 65.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-7338**

Marca: **Mercedes Benz**

HT: 211.20 mm · OD: 62.30 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-8081**

Marca: **Bmw**

HT: 104.00 mm · OD: 82.50 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-8087**

Marca: **Bmw**

HT: 103.50 mm · OD: 65.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-8158**

Marca: **Volkswagen**

HT: 112.00 mm · OD: 83.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-8213**

Marca: **Bmw**

HT: 161.30 mm · OD: 83.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-8316**

Marca: **Ford**

HT: 124.00 mm · OD: 76.00 mm · Thread: 3/4" -16
Tipo / Type: Sellado / Spin On 2 Válvulas / 2 Valve



No. Interfil: **OF-8398**

Marca: **Fiat**

HT: 68.80 mm · OD: 76.40 mm · Thread: M20x1.5
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-8481**

Marca: **Chrysler/mercedes Benz**

HT: 115.50 mm · OD: 65.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-8530

Marca: Volkswagen

HT: 154.00 mm - OD: 65.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-8712

Marca: Volvo

HT: 74.13 mm - OD: 72.80 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-8765

Marca: Cadillac

HT: 96.80 mm - OD: 53.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-8776

Marca: Mercedes Benz

HT: 74.00 mm - OD: 52.20 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-8806

Marca: Chevrolet/saturn

HT: 71.35 mm - OD: 62.35 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-8980

Marca: Isuzu

HT: 158.20 mm - OD: 65.70 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-8994

Marca: Audi / Volkswagen

HT: 110 mm - OD: 93.3 mm - Thread: 3/4"-16UNF
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-9010

Marca: Jaguar / Land Rover / Lincoln


HT: 107.20 mm - OD: 76.20 mm - Thread: 1"-12
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: OF-9011

Marca: Fiat / Peugeot

HT: 137.14 mm - OD: 94.76 mm - Thread: M22x1.5
Tipo / Type: Sellado / Spin On



No. Interfil: OF-9018

Marca: Chevrolet/saturn

HT: 88.7 mm - OD: 63.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-9100

Marca: GMC

HT: 137.00 mm - OD: 95.10 mm - Thread: 13/16-16" UN
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: OF-9301

Marca: Mercedes Benz

HT: 115.70 mm - OD: 63.90 mm
Tipo / Type: Cartucho / Cartridge

Aceite / Oil

Imágenes / Pictures



No. Interfil: **OF-9461**

Marca: **Volkswagen**

HT: 141.00 mm - OD: 71.20 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-9549**

Marca: **Ford**

HT: 181.43 mm - OD: 82.63 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-9566**

Marca: **Ford**

HT: 85.76 mm - OD: 76.00 mm - Thread: 3/4"-16
Tipo / Type: Sellado / Spin On



No. Interfil: **OF-9584**

Marca: **BMW/Mini**

HT: 82.50 mm - OD: 72.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-9641**

Marca: **Ford / Mazda**


HT: 70.00 mm - OD: 65.56 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-9918**

Marca: **Mercedes Benz**

HT: 154.00 mm - OD: 47.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-9954**

Marca: **Ford / Volvo**

HT: 125.00 mm - OD: 65.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-9972**

Marca: **Toyota**

HT: 98.20 mm - OD: 69.50 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-10060**

Marca: **Chevrolet / Dodge / Pontiac**

HT: 60.90 mm - OD: 76.20 mm - Thread: M22x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: **OF-10075**

Marca: **Bmw**

HT: 79.20 mm - OD: 73.5 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-10246**

Marca: **Chevrolet**

HT: 105.50 mm - OD: 67.20 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: **OF-10295**

Marca: **Toyota**

HT: 145.90 mm - OD: 69.50 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-10358

Marca: Lexus / Toyota

HT: 56.40 mm - OD: 60.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-10530

Marca: BMW

HT: 104.30 mm - OD: 74.40 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-10575

Marca: Ford

HT: 100 mm - OD: 76 mm - Thread: M22x1.5
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: OF-10632

Marca: Audi


HT: 128.5 mm - OD: 68.5 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-10890

Marca: Ford

HT: 175.75 mm - OD: 94.81 mm - Thread: 1" 16 UNF
Tipo / Type: Sellado / Spin On Válvula / Valve



No. Interfil: OF-10955

Marca: Chrysler / Dodge

HT: 138.50 mm - OD: 52.00 mm
Tipo / Type: Cartucho / Cartridge



No. Interfil: OF-11665

Marca: Chrysler / Dodge / Jeep

HT: 156.2 mm - OD: 50.52 mm
Tipo / Type: Cartucho / Cartridge

Aceite / Oil

Imágenes / Pictures

